

Your Key to Safety !



Lockout Tagout

- 1. Who is Master Lock?
- 2. What is Lockout?
- **3. Master Lock Solutions**
- **4.** Products for Lafarge





Who is Master Lock?











- Founded in 1921, Milwaukee
- World leader in Security and Safety Padlocks and accessories
- Master Lock Europe (MLE) established in 1991 in Paris
- Global offer : same products and services across Europe



- Controls hazardous energy during equipment maintenance to prevent accidental start-up and possible injuries or death
 - Electrical
 - Mechanical
 - Hydraulic
 - Pneumatic
 - Other
- Requires safety padlocks and/or lockout devices to *lockout* sources of hazardous energy



Circuit Breakers Locked Out to Prevent Accidental Energization



- Unique active padlock producer in this market
- Worldwide approach
- Dedicated sales teams
- European warehouse in Le Havre France (10 000m2)



Master Lock, provider of SECURITY solutions



Master Lock, provider of SAFETY solutions



Master Lock, provider of SERVICE solutions





Master Lock, provider of SECURITY solutions



- Largest padlocks manufacturer and marketer
- Extended range of padlocks and accessories
- Recognized expertise in product design, quality and innovation
- Lifetime guarantee





Security Padlocks

Brass Padlocks



Combination Padlocks







High Security Padlocks



Combination Padlocks







> Maximum Security Padlocks

Hardened Steel Padlocks













SELECT ACCESS



> Heavy Duty Key Cabinets













Why Master Lock Europe?



Master Lock, provider of SAFETY solutions



- A complete offer dedicated to Lockout
 - LOTO padlocks
 - Adapted accessories to every single energy source
- Safety level
 - In compliance with OSHA 1910.147
 - Above all European standards



Master Lock Safety Series





LOTO Accessories





Master Lock Service



UTILISER

DANGER

ELECTRIQUE



Mechanical Energy Source

Electrical Energy Source

Hydropower

Pneumatic Energy

Fluids











THE LOCKOUT RULE







7 STEPS TO A PERFECT LOCKOUT





Dedicated padlocks

Key operator traceability

Identification risks by colors

Padlock engraving

Key systems customization

Reserved LOTO keyways

GLOBAL SOLUTION

Innovative and adapted Accessories









Master Lock, provider of SERVICE solutions



- Worldwide recognized Expertise
- Maximized Safety and performances
- Reduced Risks
- LOTO procedures building assistance
- Sustainable solutions implementation





- 1st Module
 On-site Diagnosis
 Action plan
- 2nd Module
 LOTO procedures building assistance
 Product recommendation
 LOTO procedures and products staff training
- > 3rd Module
 > Audit follow-up
 > Deviances analysis
 > Corrective action







LOTO Products selection



Safety padlocks



S31





- Padlocks S31, 410 and 406 dielectric
- Available in 8 or 9 colors to identify service, employees ...
- Recording of the keys delivered to prevent the risk of duplicating key

7	Reference	Designation	Туре
		Safety padlock with steel shackle diameter 4,7mm	Keyed different
	S31		Keyed alike
1	with steel shackle diameter 4,7mm	with steel shackle diameter 4,71111	Laser engraving (per area)
	410 – 410 LT	410 – 410 LT Safety padlock with steel shackle diameter 6mm	Keyed different
			Keyed alike
			Laser engraving (per area)
		Safety padlocks completely non-conductive	Keyed different
	406 with shackle diameter 6 mm		Keyed alike
10 LT			Laser engraving (per area)







• Safety Lockout Hasps : Multiple workers at each lockout point



Reference	Designation
416 - 417 - 429	Lockout by multiple workers at each lockout point
428	Nylon non-conductive hasp



Lockout of electrical shut-off points, circuit breakers




Reference	Designation
S2300AST	Electrical lockout (1*s2390 + 1*s2391 + 1*s2392 + 1*s2393)
506	Grip Tight circuit breaker lockout (1*491b + 1*493b)
487-488	Electrical Plug cover (small – large)



Valve lockout

• Valve lockout , cable lockout

480-485



S3476 - S3477



S3900

Reference	Designation
485	Rotating gate valve lockout (480 + 481 + 482 + 483 + 484) Diameter max : 8,12 - 13,54 - 17,60 - 27,07 - 35,19 mm
S806	Adjustable cable, diameter 4mm
S3476 - S3477	Ball valve lockout
\$3900	Pneumatic lockout

S806



Steering wheel – Plug & control lockout

Steering wheel covers – Plug & Control lockout



Reference	Designation
4716-4720-4724	Steering wheel cover diam 40.6-50.8-61 cm
453 L-XL-XXL	Nylon oversized Plug & Control lockout (L-XL-XXL)



Group lock boxes

Lacht Tight Group Lock Boxes



Reference	Designation
503Red	Group Lock Boxes
S125	Padlock caddy for transportation of padlocks



Lockout stations - Padlock station

Lockout stations and heavy duty padlock station



Reference	Designation
S1850E410 - S1900	Lockout station
S1506	Heavy duty padlock station



Extreme tags

Extreme tags (examples)



Reference	Designation	Туре
S4302LEN	Extreme tags	«Do not operate »
S4325LEN	Extreme tags	« Do not start this machine »



Thank you for choosing Master Lock



