

Master SAFETY SERIES™ Lock®

SAFETY LOCKOUT PRODUCTS

Safeguard Lives and Satisfy OSHA



**Guardian
Extreme**



Safety
Tags



Lockout
Isolation
I.D. Tags



Safety
Signs



Need Safety Lockout Fast?

When lockout products are needed fast, you can count on Master Lock to deliver with Safety Express quick ship service. Within 48 hours of placing your order you can have custom safety padlocks keyed to your specifications and safety lockout devices delivered direct to your door. Contact us for costs and delivery details.



Master Lock SERVICES

Lockout Consulting that Makes OSHA Compliance Simple

In less than 30 days, you can implement a visual lockout program for your facility. With these procedures, your employees are more efficient performing lockout, are safer, and your insurance rates can go down. You are fully OSHA compliant on machine specific procedures. Guaranteed.

- Easy to understand, easy to use visual procedures
- Quicker and more accurate lockout
- Less time spent by maintenance crews
- Less downtime for your expensive equipment
- Avoid OSHA scrutiny and fines
- Savings on insurance and worker's compensation

Our team of lockout experts can support you to ensure your facility is in full compliance with OSHA lockout standards 1910.147.

We can help.

- Visual lockout procedures
- On site authorized and affected employee lockout training
- Annual audits of your procedures, as required by OSHA
- Corporate lockout policy development

Learn more at www.safetyseries.com or call
1-800-944-1380



Table of Contents

Padlocks, Accessories & Labels

Starting on Page 4



Xenoy Safety Padlocks – P 4



Aluminum Safety Padlocks – P 6



Steel Safety Padlocks – P 8



Padlock Identification & Accessories – P 9

Lockout Devices

Starting on Page 10




Hasps – P 10



Electrical Lockouts – P 11



Valve Lockouts – P 14



Pneumatic Lockouts & Steering Wheel Covers – P 16



Cable Lockouts & Lockboxes – P 17



Lockout Kits – P 18



Padlock Stations – P 20



Lockout Stations – P 22



Compact Lockout Stations – P 24



Compliance Centers – P 25

Tags, Signs & Training

Starting on Page 26



Guardian Extreme™ Signs & Tags – P 26



Laminated Tags & Tag Stations – P 30



Lockout Signs & Training – P 31

Xenoy® Safety Padlocks

Optimal safety padlock designed exclusively for Lockout/Tagout by Safety Directors. Distinctive Xenoy® safety padlock is durable, standardized, substantial and identifiable for OSHA 1910.147 compliance. Stands up to chemicals, temperature extremes, and is UV stable.

410 Safety Padlock

- Xenoy®* body with 1/4" diameter plated metal shackle for corrosion resistance
- Available with 1-1/2" or 3" tall shackle
- Includes write-on "Danger" and "Property Of:" labels in English, Spanish, and French. Other languages available; call for details.
- Patented

Master Lock Model #	Description	Vertical Shackle Clearance (B)
1-1/2" Wide, 1-3/4" Tall Xenoy® Body. Shackle Dimensions: A: 1/4" C" 25/32"		
410RED	Keyed Different	1-1/2"
410LTRED	Keyed Different, Extra Length Shackle	3"
410KARED	Keyed Alike	1-1/2"
410KALTRED	Keyed Alike, Extra Length Shackle	3"
410MKRED	Master Keyed	1-1/2"
410KAMKRED	Keyed Alike, Master Keyed	
Rainbow Color Assortment Pack		
410AST	One each of all eight 410 colors. Keyed Different	1-1/2"
Eight Color Options: Add Desired Color Suffix: RED, ORJ, YLW, GRN, BLU, BLK, PRP, TEAL		


*Xenoy® is a registered trademark of General Electric Corporation.



406 Non-Conductive, Non-Magnetic, Non-Sparking Safety Padlock

- Ideal for confined spaces, medical, military, mining and electrical lockout
- 1/4" diameter, 1-1/2" tall nylon shackle with Xenoy® composite plastic body
- All components are non-sparking – plastic, copper, or brass
- All components are non-magnetic – plastic, copper or brass
- Exposed components are plastic and do not conduct electricity
- Shackle withstands over 300 lb pull
- Includes write-on "Danger" and "Property Of:" labels in English, Spanish, and French. Other languages available; call for details.
- Patents Pending

Master Lock Model #	Description	Vertical Shackle Clearance (B)
1-1/2" Wide, 1-3/4" Tall Xenoy® Body. Shackle Dimensions: A: 1/4" C" 25/32"		
406RED	Keyed Different, Dielectric	1-1/2"
406KARED	Keyed Alike	1-1/2"
406MKRED	Master Keyed	1-1/2"
406KAMKRED	Keyed Alike, Master Keyed	
Rainbow Color Assortment Pack		
406AST	One each of all eight 406 colors. Keyed Different	1-1/2"
Eight Color Options: Add Desired Color Suffix: RED, ORJ, YLW, GRN, BLU, BLK, PRP, TEAL		



Xenoy®* Safety Padlock Features


- Durable padlock weighs only 4 ounces, making it easy to carry many
- Temperature tested from -70° F to +350° F
- Excellent corrosion resistance
- UV stable
- No silicone used in padlock
- Over 40,000 unique safety key codes available. Over 1 million possible codes with optional key cylinders.
- Keyed Different, Keyed Alike and Master Keyed options
- Key retaining – ensures padlock is not accidentally left unlocked
- Includes one key to ensure compliance with OSHA guideline of one employee, one padlock, one key
- Available in 8 colors
- Body sides and face can be laser engraved for permanent identification
- Non-rekeyable ensures your safety lockout system stays pure by preventing haphazard rekeying and the accidental introduction of duplicate key codes
- Your facility's padlocks can be key charted to ensure no duplicate key numbers are supplied and accidentally handed out to multiple employees

411 Bilingual Safety Padlock

- Tall Xenoy® body with 1/4" diameter plated metal shackle for corrosion resistance
- Includes bilingual "Danger" and "Property Of:" labels in English/Spanish and English/French. Other languages available; call for details.
- Available with 1-1/2" or 3" tall shackle
- Patented

Master Lock Model #	Description	Vertical Shackle Clearance (B)
1-1/2" Wide, 3" Tall Xenoy® Body. Shackle Dimensions: A: 1/4" C: 25/32"		
411RED	Keyed Different	1-1/2"
411LTRED	Keyed Different, Extra Length Shackle	3"
411KARED	Keyed Alike	1-1/2"
411KALTRED	Keyed Alike, Extra Length Shackle	3"
411MKRED	Master Keyed	1-1/2"
411KAMKRED	Keyed Alike, Master Keyed	1-1/2"
0411-5705	Photo I.D. Labels for 411 (6 pk.)	N/A
Rainbow Color Assortment Packs		
411AST	One each of all eight 411 colors. Keyed Different	1-1/2"
Eight Color Options: Add Desired Color Suffix: RED, ORJ, YLW, GRN, BLU, BLK, PRP, TEAL		

*Xenoy® is a registered trademark of General Electric Corporation.



411



411


411LT



0411-5705

Master Lock Model #	Description	Dimensions
0411-5705	Photo ID labels for 411 padlocks (6 pk.)	1" W x 3-3/8" T

Multilingual Labels Available



Single Language or Bilingual
Call for Details

Aluminum Safety Padlocks

Lightweight and durable aluminum body for Lockout/Tagout. Choose from powder coated or anodized finish. Stands up to chemicals, temperature extremes, and is UV stable.

Powder Coated Aluminum Padlocks

Master Lock 6835

- Available in 6 vibrant colors
- Durable baked-on powder coated finish
- Over 10,000 key changes available. Over 101,000 with optional key cylinder.



Master Lock Model #	Description	Vertical Shackle Clearance (B)
1-9/16" Wide High Visibility Aluminum Body. Shackle Dimensions: A: 1/4" C: 25/32"		
6835RED	Keyed Different	1-1/16"
6835LFRED	Keyed Different, Extra Length Shackle	1-9/16"
6835LTRED	Keyed Different, Extra Length Shackle	3"
6835KARED	Keyed Alike	1-1/16"
6835KALFRED	Keyed Alike, Extra Length Shackle	1-9/16"
6835KALTRED	Keyed Alike, Extra Length Shackle	3"
6835MKRED	Master Keyed	1-1/16"
6835KAMKRED	Keyed Alike, Master Keyed	
6835WORED	Lock Body & Shackle w/o Cylinder	
6835KZRED	Zero Bitted	
Six Color Options: Add Desired Color Suffix: RED, ORJ, YLW, GRN, BLU, BLK		

Master Lock 6836

- Interchangeable Core Cylinder. Small Format.
- Over 101,000 key changes available

Master Lock Model #	Description	Vertical Shackle Clearance (B)
1-9/16" Wide High Visibility Aluminum Body. Shackle Dimensions: A: 1/4" C: 25/32"		
6836RED	Keyed Different	1-1/16"
6836LFRED	Keyed Different, Extra Length Shackle	1-9/16"
6836LTRED	Keyed Different, Extra Length Shackle	3"
6836KARED	Keyed Alike	1-1/16"
6836KALFRED	Keyed Alike, Extra Length Shackle	1-9/16"
6836KALTRED	Keyed Alike, Extra Length Shackle	3"
6836MKRED	Master Keyed	1-1/16"
6836KAMKRED	Keyed Alike, Master Keyed	
6836WORED	Lock Body & Shackle w/o Cylinder	
6836KZRED	Zero Bitted	
Six Color Options: Add Desired Color Suffix: RED, ORJ, YLW, GRN, BLU, BLK		

Padlock Identification Labels

Master Lock Model #	Description	Dimensions
6835-5700	Photo ID labels for A1105, A1106, A1107, A1165, A1166, A1167 and 6835 padlocks (6 pk.)	1-1/4" W x 2-3/4" T
461	Padlock labels with clear overlaminates (50 pk.)	5" W x 1" T



Aluminum Safety Padlock Features

- Durable padlock weighs 5 ounces, making it easy to carry
- Solid body construction stands up to physical abuse
- Temperature tested from -70° F to +350° F.
- Excellent corrosion resistance
- UV stable
- No silicone used in padlock
- 1/4" diameter steel shackle with plated finish for corrosion resistance
- Keyed Different, Keyed Alike and Master Keyed options
- Available with 1", 1-1/2" or 3" tall shackle
- Brass shackle option available for spark resistance
- Write-on labels and Photo ID labels available
- Body sides and face can be laser engraved for permanent identification
- Key retaining option available. Includes two keys.
- Your facility's padlocks can be key charted to ensure no duplicate key numbers are supplied and accidentally handed out to multiple employees

Anodized Aluminum Padlocks

American Lock A1100 Series



- Available in 9 body colors
- Durable anodized finish suitable for lockout in food processing facilities
- Over 10,000 key changes available. Over 101,000 with optional key cylinder.

American Lock Model #	Description	Vertical Shackle Clearance (B)
1-1/2" Wide Anodized Aluminum Body. Shackle Dimensions: A: 1/4" C: 3/4"		
A1105RED	Keyed Different	1"
A1105KARED	Keyed Alike	1"
A1105MKRED	Master Keyed	1"
A1105KAMKRED	Keyed Alike, Master Keyed	1"
A1106RED	Keyed Different, Extra Length Shackle	1-1/2"
A1106KARED	Keyed Alike	1-1/2"
A1106MKRED	Master Keyed	1-1/2"
A1106KAMKRED	Keyed Alike, Master Keyed	1-1/2"
A1107RED	Keyed Different, Extra Length Shackle	3"
A1107KARED	Keyed Different, Extra Length Shackle	3"
A1107KAREDA	Keyed Alike	3"
A1107MKRED	Master Keyed	3"
Also available as 6-pin; A1165, A1166, A1167		
Nine Color Options: Add Desired Color Suffix: RED, BLU, BRN, GRN, YLW, BLK, ORJ, CLR, PRP		



American Lock A3100 Series

- Interchangeable Core Cylinder. Small Format.
- Over 101,000 key changes available

American Lock Model #	Description	Vertical Shackle Clearance (B)
1-1/2" Wide Anodized Aluminum Body. Shackle Dimensions: A: 1/4" C: 3/4"		
A3105RED	Keyed Different	1"
A3105KARED	Keyed Alike	1"
A3105MKRED	Master Keyed	1"
A3105KAMKRED	Keyed Alike, Master Keyed	1"
A3106RED	Keyed Different, Extra Length Shackle	1-1/2"
A3106KARED	Keyed Alike	1-1/2"
A3106MKRED	Master Keyed	1-1/2"
A3106KAMKRED	Keyed Alike, Master Keyed	1-1/2"
A3107RED	Keyed Different, Extra Length Shackle	3"
A3107KARED	Keyed Different, Extra Length Shackle	3"
A3107KAREDA	Keyed Alike	3"
A3107MKRED	Master Keyed	3"
Also available as 6-pin; A3165, A3166, A3167		
Nine Color Options: Add Desired Color Suffix: RED, BLU, BRN, GRN, YLW, BLK, ORJ, CLR, PRP		

Interchangeable Core




Steel Safety Padlocks

Strong and economical. Reinforced laminated steel construction stands up to extreme physical abuse.

Steel Safety Padlock Features

- Weighs approximately 7 ounces.
- Temperature tested from -70° F to 210° F.
- 9/32" diameter shackle
- Available with 3/4", 1-1/2" or 2" tall shackle
- 6 bumper colors available
- Keyed Different, Keyed Alike and Master Keyed options
- Over 1400 unique key codes available
- Key code stamped in key and on bottom of padlock
- Includes 2 keys
- Wrap around, write on labels available for identification
- Your facility's padlocks can be key charted to ensure no duplicate key numbers are supplied and accidentally handed out to multiple employees

Master Lock Model #	Description	Vertical Shackle Clearance (B)
1-9/16" Wide Laminated Steel Body. Shackle Dimensions: A: 9/32" C: 5/8"		
3RED	Keyed Different	3/4"
3LFRED	Keyed Different, Extra Length Shackle	1-1/2"
3LHRED	Keyed Different, Extra Length Shackle	2"
3KARED	Keyed Alike	3/4"
3KALFRED	Keyed Alike, Extra Length Shackle	1-1/2"
3KALHRED	Keyed Alike, Extra Length Shackle	2"
3MKRED	Master Keyed	3/4"
3KAMKRED	Keyed Alike, Master Keyed	
Rainbow Color Assortment Packs		
1220AST	One each of all six #3 colors. Keyed Different	1-1/2"
1220LHAST	One each of all six #3LH colors. Keyed Different	2"
1220DSPL	Safety Starter Kit. Two 420 safety lockouts; six 3 safety lockout padlocks (one each color); six 71 TAG ID tags; and six 71SC9 attachment collars	3/4"
Six Color Options: Add Desired Color Suffix: RED, YLW, GRN, BLU, BLK, WHT.		



Padlock Identification Labels

Master Lock Model #	Description	Dimensions
461	Padlock labels with clear overlamine (50 pk.)	5" W x 1" T



461



Breakaway Shackle Padlock

Laminated Steel Padlock with Breakaway Shackle for Emergency Access

- Ideal for safety situations where emergency access is needed, such as fire extinguishers and hoses.

NOTE: Does not meet OSHA 1910.147 Lockout/Tagout Standard.

Master Lock Model #	Description	Vertical Shackle Clearance (B)
1-9/16" Wide Laminated Steel Body. Shackle Dimensions: A: 9/32" C: 5/8"		
500KABRK	Keyed Alike, Warded Locking Mechanism. Breakaway Shackle	13/16"



500KABRK

Padlock Accessories & Identification

Master Lock offers the widest range of padlock identification products and services available.

Accessories

Safety Lockout Accessories for OSHA compliance

- Chains keep padlocks close to equipment requiring safety lockout
- Engraveable brass tag provides for individual worker identification
- Tags attach to safety lockout padlocks with 71SC8 and 71SC9 collars

Lockout Leash™ Lanyard

- Lanyard for mounting padlock or hasp near lockout point
- 36" lanyard can easily be shortened to 2" to reduce excess slack
- Includes mounting clips for 1/4" and 9/32" diameter shackles
- Fits all Master Lock and American Lock Safety Padlocks and most Safety Hasps
- Patent pending



Master Lock Model #	Description
71CS	9" Long lightweight zinc plated steel chain with chain holder attached; fits all Master shackle collars (ordered separately) (12 pk.)
71CH	9" Long heavy-duty zinc plated steel chain with chain holder attached; fits all Master shackle collars
71SC8	Shackle Collar. Fits 1/4" diameter shackles and smaller; for 410, 411, A1105, A1106, A1107, A1165, A1166, A1167, 6835 and 6836 padlocks
71SC9	Shackle Collar. Fits 9/32" diameter shackles; for 3 laminated steel padlocks
71TAG	1/2" x 1-3/4" Brass tag with ring for attaching to shackle collars listed above
S100	Lockout Leash™ mounting lanyard – Set length 36" to 2"
S125	Padlock Caddy – Carry up to 12 padlocks from lockout job to job


Laser Engraving

A permanent and durable method to customize your safety lockout padlocks.

- Available on Aluminum and Xenoy® padlocks
- A name, logo or key number, you select the important information to engrave on the padlock
- Laser engrave information on the padlock face, sides or back
- Contact your preferred distributor or Master Lock for ordering and pricing information
- Available in many languages; call for details
- Visit www.safetyseries.com to see sample engraving on all lock styles and colors



Padlock Identification Labels



Master Lock Model #	Description	Dimensions
0411-5705	Photo ID labels for 411 padlocks (6 pk.)	1" W x 3-5/8" T
6835-5700	Photo ID labels for A1105, A1106, A1107, A1165, A1166, A1167 and 6835 padlocks (6 pk.)	1-1/4" W x 2-3/4" T
461	Padlock labels with clear overlaminates (50 pk.)	5" W x 1" T

Multilingual Labels Available



Hasps

Lockout hasps are integral parts of a successful safety lockout program, providing effective multi-person lockout.

Safety Lockout Hasps

Lockout by Multiple Workers at Each Lockout Point

- Attach hasp to energy disconnect switch
- Control cannot be turned on until last worker's padlock is removed from hasp
- Multiple styles available to fit most needs; **Spark resistant aluminum, Pry-resistant steel, Dielectric plastic, Dual jaw aluminum**

Model 427 – Labeled Snap-On Hasp

- Combines multiple-person lockout and tagout identification
- Features an easy-to-apply "snap-on" advantage with its spring-loaded locking arm
- Fits more lockout points than alternative rivet-hinge labeled lockout hasps
- Anodized aluminum and stainless steel construction for combined corrosion-resistance and strength
- Complete with high visibility, re-usable, write-on safety labels (English, French & Spanish)

Master Lock Model #	Description	Inside Jaw Clearance	Jaw Dia.	Padlock Capacity
416	Spark Resistant Aluminum 1-1/2" x 4-3/8"	1"	1/4"	6
417	Spark Resistant Aluminum 2" x 4-7/8"	1-1/2"	1/4"	6
418	Heavy Duty Steel 2-3/8" x 3-1/4"	1"	1/4"	4
419	Heavy Duty Steel 2-3/8" x 6-5/8"	1"	1/4"	8
420	Steel Jaw with Vinyl Coated Handle 1-3/4" x 4-1/2"	1"	1/4"	6
421	Steel Jaw with Vinyl Coated Handle 2-3/8" x 5"	1-1/2"	1/4"	6
427	Red Labeled Snap-On Hasp 2-7/8" x 7"	1-3/4" x 2-1/8"	1/4"	5
427AST	Labeled Snap-On Hasp Assortment Pack (6 Hasps, Black, Blue, Green, Red, Silver, and Yellow)	1-3/4" x 2-1/8"	1/4"	5
427BLK	Black Labeled Snap-On Hasp 2-7/8" x 7"	1-3/4" x 2-1/8"	1/4"	5
427BLU	Blue Labeled Snap-On Hasp 2-7/8" x 7"	1-3/4" x 2-1/8"	1/4"	5
427BRN	Brown Labeled Snap-On Hasp 2-7/8" x 7"	1-3/4" x 2-1/8"	1/4"	5
427CLR	Silver Labeled Snap-On Hasp 2-7/8" x 7"	1-3/4" x 2-1/8"	1/4"	5
427GRN	Green Labeled Snap-On Hasp 2-7/8" x 7"	1-3/4" x 2-1/8"	1/4"	5
427ORJ	Orange Labeled Snap-On Hasp 2-7/8" x 7"	1-3/4" x 2-1/8"	1/4"	5
427PRP	Purple Labeled Snap-On Hasp 2-7/8" x 7"	1-3/4" x 2-1/8"	1/4"	5
427YLW	Yellow Labeled Snap-On Hasp 2-7/8" x 7"	1-3/4" x 2-1/8"	1/4"	5
428	Nylon Non-Conductive Hasp 1-5/8" x 6-7/8"	1" x 2-1/2"	3/16"	6
429	Dual Jaw Aluminum Hasp 2" x 5-7/8"	1" & 1-1/2"	1/4"	8
AL080	Tabbed Steel Jaw with Vinyl Coated Handle 1-3/4" x 4-1/2"	1"	3/8"	6
AL0802	Tabbed Steel Jaw with Vinyl Coated Handle 2-3/8" x 5"	1-1/2"	3/8"	6
S430	4mm Steel Hasp with Red Plastic Handle 2-1/4" x 3"	1"	4mm	2
S431	Stainless 316 Steel Hasp with 4mm diameter Shackle	1"	4mm	8

Aluminum



416

417

Snap-On Aluminum

"Snap-On" Advantage



427

Heavy Duty Steel



418

419

Dielectric



428

Steel



420

421

Dual Jaw Aluminum



429

Stainless Steel Hasp



S431

4mm Diameter Shackle Hasp



S430

Tabbed Steel



ALO80

ALO802

Available Fall 2009

Electrical Lockouts

Master Lock offers innovative, patent pending devices for the effective lockout of electrical shut-off points, including circuit breakers, electrical plugs and wall switches.

Grip Tight™ Circuit Breaker Lockout

Greatest Hold Strength Combined with Universal Fit

- Secure and simple mounting for a solid lockout. Grips tight with simple thumb turn and clamping handle.
- Exclusive design accommodates virtually all styles of breaker toggles
 - Model 491B is appropriate for tall and wide breaker toggles
 - Model 493B for standard height and tie-bar toggles
 - Model 506 is a set of both devices
- Narrow profile permits side-by-side breaker lockout
- Compact devices are easy to carry and easy to store
- Both devices accept all American Lock® and Master Lock® safety padlock shackle and lockout hasp diameters
- Durable construction with powder coated steel and reinforced polymer allows operation in harsh environments

Master Lock Model #	Description
491B	Circuit Breaker Lockout – tall and wide toggles
493B	Circuit Breaker Lockout – standard single and double toggles
506	Set of each device – one 491B and one 493B



493B



Two Lockouts Replace Many



491B



Miniature Circuit Breaker Lockouts

Locks Out Most Miniature ISO/DIN Circuit Breakers Found Throughout the World

- S2390 fits standard width toggle openings. Pin out. Black Handle
- S2391 fits wide toggle openings. Pin out. Red Handle
- S2392 fits breakers when pin-in is necessary
- Works with all Master Lock and American Lock safety padlocks and lockout hasps
- Patent Pending

Master Lock Model #	Description
S2390	Fits breakers with toggle openings 11mm or less
S2391	Fits breakers with toggle openings 11mm to 13mm
S2392	Fits breakers with pin-in toggles



S2390



S2391

Available Fall 2009




X ≤ 11 mm
S2390



x = 11 to 13 mm
S2391



S2392



X ≤ 12.7 mm
S2392



Electrical Lockouts

Allows Panel Door to Close



7C5RED

Circuit Breaker Switch Padlock

Provides the Flexibility to Effectively Lock Out Breaker Switches

- 3/16" diameter cable shackle allows padlock to properly lock all types of circuit breaker lockout devices
- Flexible cable allows the compact lock body to be positioned so that the control panel door closes properly
- Fits the tight space constraints within circuit breaker shutoff boxes
- Numerous key changes are available to minimize the possibility of unwanted key duplication

Master Lock Model #	Description
7C5RED	1-1/8" wide steel body; 4-pin cylinder; 5" flexible steel cable. Keyed Different.
7KAC5RED	1-1/8" wide steel body; 4-pin cylinder; 5" flexible steel cable. Keyed Alike.

Universal Wall Switch Lockout

Locks Out Both Toggle and Decora Paddle Wall Switches

- Patent-pending design assures switch is locked on or off
- Hinges open for unobstructed normal operation of switch
- Includes English/Spanish and English/French labels

Master Lock Model #	Description
496B	Universal Wall Switch Lockout

Patent-Pending Innovative Design



496B



Toggle Switch



Paddle Switch



Rotating Electrical Plug Lockouts

Outward/Inward Rotation Allows for Easier Application & Storage

- Surrounds the electrical plug; protects against accidental reconnection
- Unique, patent-pending rotating design allows for easier installation in confined space applications
- Complete with high-visibility permanent safety labels (English, French & Spanish). Labels can be written-on to identify the responsible person, then erased for the next job.
- Tough, lightweight, dielectric Xenoy® thermoplastic bodies withstand chemicals; perform effectively in extreme conditions [temperature range -50° F (-46° C) to +350° F (177° C)]

Exclusive Rotating Design



Compact Plug Prong Lockout

Compact Design Locks Out Smaller Plugs Easily & Effectively

- Locks on the prongs of 110-120 volt plugs
- Fits two prong plugs with and without ground
- Use with your existing lockout padlocks or lockout hasps
- Includes labels in English, Spanish, and French
- Patent Pending

Master Lock Model #	For Electrical Plug Sizes Up To:
487	2-1/4" dia. x 3-1/4" with cord dia. up to 3/4" (Most 110- and many 220-volt plugs)
488	3" dia. x 6" with cord dia. up to 3/4" (Most 220 – 550 volt plugs)
S2005	Fits 110-120-volt plugs (with or without ground)



S2005



488

*Xenoy® is a registered trademark of General Electric Corporation.

Oversized Plug & Hoist Control Cover

Effectively Locks Out Odd Size and Large Electrical Connectors and Hoist Controls

- Patent-pending lockout, the cinch sack offers broad application solutions
- Insert PVC tubing to block access to hoist control buttons.
- Flexible & durable rip-stop nylon bag fits easily in safety tool boxes
- Lock out with up to 6 padlocks or hasps

Master Lock Model #	Description	Dimensions
453L	Large Nylon Oversized Plug & Control Lockout	7" dia. x 17" tall
453XL	Extra Large Nylon Oversized Plug & Control Lockout	10" dia. x 26" tall
453XXL	Extra Extra Large Nylon Oversized Plug & Control Lockout	14" dia. x 36" tall



453L



Electrical Connector Lockout



Hoist Control Lockout

Valve Lockouts

The exclusive, patent pending Master Lock gate and ball valve lockout devices work in difficult applications like tight spaces and insulated pipes.

Rotating Gate Valve Lockouts

Outward/Inward Rotation Allows for Easier Installation & Storage

Surrounds the valve operating handle to protect against accidental valve opening

Unique, patent-pending rotating design allows for easier installation in confined space applications

Center knockout can be removed for rising stem gate valves

Each size rotates into itself and nests within the next larger size to save space in storage

Multiple workers can apply their personal safety locks

Complete with high-visibility permanent safety labels (English, French & Spanish) that can be written-on to identify the responsible person, then erased for the next job

Tough, lightweight, dielectric Xenoy[®]* thermoplastic bodies withstand chemicals; perform effectively in extreme conditions [temperature range -50° F to 350°



Easy to Store - Fits in Kits



Master Lock Model #	Description	Depth
480	fits 1" to 3" dia. valve handles	1-1/16"
481	fits 2" to 5" dia. valve handles	1-7/16"
482	fits 4" to 6.5" dia. valve handles	1-7/8"

Master Lock Model #	Description	Depth
483	fits 6" to 10" dia. valve handles	2-1/4"
484	fits 8" to 13" dia. valve handles	2-5/8"
485	1 set of 480-484	

*Xenoy[®] is a registered trademark of General Electric Corporation.

Pressurized Gas Valve Lockout

Fits Pressurized Gas Valves

Surrounds the valve handle to protect against accidental valve opening

Patent pending design works with valve guard in place

Fits virtually all pressurized gas valve handles up to 3" diameter

Compact size easily stored when not being used

Includes Danger labels in English, Spanish, and French

Accepts any Master Lock or American Lock Safety Padlock

Works with lockout hasps for multiple worker lockout

Master Lock Model #	Description
S3910	Pressurized Gas Valve Lockout



Seal Tight™ Ball Valve Lockout Devices

Effective Lockout for Virtually Any Ball Valve

Easy to use – simple, intuitive designs

Broad application

- Devices lock out ball valve sizes up to 4"
- Fit virtually all types of pipe including insulated, PVC and metal

Lightweight and compact – devices are easy to carry, store and apply even in tight, awkward spaces



S3068 Seal Tight™ Handle-On Lockout

Metal device clamps tight on handle stop. Defies corrosive environments and temperatures up to 1,000° F.



S3068



468L Seal Tight™ Handle-Off Lockout

Device encloses the valve stem, with the handle removed, to make accidental reactivation virtually impossible. Operates in temperatures -40° to 250°



468L



Master Lock Model #	Description	For Valve Diameters of:
468L	Seal Tight™ Handle-Off Lockout, 11-1/2" H x 12-3/4" W x 2-1/2" D	3/8" to 4"
S3068	Seal Tight Handle-On Ball Valve Lockout 5-3/4" L x 2-1/8" W x 2-1/2" H	1/4" to 4"
S1000	Seal Tight Ball Valve Lockout Kit (Set of 1 Each S3068 & 468L)	1/4" to 4"

THE Solutions That Positively Shut Off Energy

BALL VALVE LOCKOUT OPTION	ODD ORIENTATION	DIFFICULT HANDLES	PIPE MATERIAL & INSULATION	TIGHT CLEARANCES
S3068	X		X	X
468L	X	X	X	X

Pneumatic & Wheel Lockouts

Our pneumatic and wheel lockouts offer easy-to-use, innovative ways to lock out virtually any pneumatic fitting or steering wheels.



Pneumatic Lockout


Prevents pneumatic fitting from being connected to pressurized air source

- Fits virtually all male pneumatic fittings found in manufacturing facilities
- Stainless steel construction for corrosion resistance
- Measures 1-3/8" wide x 7-3/4" tall x 1/8" thick
- Accepts any Master Lock or American Lock Safety Padlock
- Works with lockout hasps for multiple worker lockout
- Patent Pending



S3900

Master Lock Model #	Description
S3900	Stainless Steel Pneumatic Lockout



Steering Wheel Covers

Provides Visual Deterrant for Vehicle Maintenance

- Three sizes available for various diameter steering wheels – 16", 20", 24"
- Trilingual warning notifies employees not to start or move vehicle
- Lock in place with a 421 hasp and safety padlock
- For added security, use Safety Series 8611 or S806 lockout cables around steering wheel and foot pedals



Master Lock Model #	Description
4716	16" Diameter Steering Wheel Cover
4720	20" Diameter Steering Wheel Cover
4724	24" Diameter Steering Wheel Cover

Three Sizes Available



4716



4720



4724

Cable Lockouts & Lock Boxes

Innovative, patent-pending cable lockouts and lock boxes offer efficient multipoint safety compliance.




Adjustable Cable Lockouts

Infinitely Adjustable for a Secure Fit Every Time

- Integrated safety hasp and cable is ideal for multiple circuit breaker panel and side-by-side gate valve lockouts
- Feed the cable end through the points to be locked out, then back through the lockout body. Cinch it tight to remove any slack with the patented locking feature
- Tough, flexible multi-stranded steel cable is insulated with a clear plastic coating
- Tough, lightweight Xenoy®* thermoplastic body withstands chemicals; performs effectively in extreme conditions (temperature range of -50° F to 300° F)
- Master Lock 8611 includes a 6' cable. This can be easily replaced with the 15' cable (8615) in the same lockout body
- Complete with high-visibility, re-usable, write-on safety labels (English, French & Spanish)
- Custom cable lengths available Fall 2009

Patented Pull-Tight Cable



8611



8615
15' Cable



S806

Available Fall 2009

Master Lock Model #	Description
8611	Adjustable cable lockout with 6' x 1/4" (6 mm dia.)
8615	Separate 15' x 1/4" (6 mm dia.) for use with 8611
S806	Adjustable cable lockout with 6' x 3/16" (4 mm dia.)

* Xenoy® is a registered trademark of General Electric Corporation.

Latch Tight™ Group Lock Boxes

Storage Devices Capture Keys For Effective Lockout of Large Equipment

- Secure each lockout point on a piece of equipment with a single padlock. Place the keys in the group lock box and then each authorized employee places their personal padlock on the lock box.
- When work is complete, employees take their personal padlocks off the lock box, freeing the keys inside. Keys inside can not be accessed until the last employee removes their padlock.
- All Master Lock group lock boxes feature an exclusive, patented Latch Tight™ locking mechanism that prevents keys from being accessed until the last padlock or lockout hasp is removed from the box. Provides the highest level of security available in a group lock box.
- Lockout Message on box is in three languages – English, Spanish, and French
- Durable powder coated finish with stainless steel handle
- 503RED and 503YLW can be mounted to wall or carried from job to job. Available in red or yellow. Accepts 14 padlocks or lockout hasps.
- 498A is a portable solution. Available in red. Accepts 12 padlocks or lockout hasps.
- Each box holds hundreds of keys. 503 also includes organized storage for 12 keys in back of box.



503RED



503YLW

Patented Latch Tight™ Design



503RED



498A

Master Lock Model #	Description	Dimensions H x L x W
498A	Portable Group Lock Box	6" x 9-1/4" x 3-3/4"
503RED	Dual Application Group Lock Box - Red	12-3/4" x 3-1/2" x 6-3/8"
503YLW	Dual Application Group Lock Box - Yellow	12-3/4" x 3-1/2" x 6-3/8"

Lockout Kits

The Master Lock Lockout Kits combine and organize commonly used electrical and valve lockout devices for individuals or groups of workers.

Personal Lockout Pouches

Padlocks and Devices for Individual Workers

- Zippered pouch is easy to carry or wear with adjustable waist strap
- Available with your choice of three padlock styles: Lightweight, designed-for-safety Xenoy[®], anodized Aluminum, or durable laminated Steel padlocks
- Two kits available, one designed with an electrical lockout focus, the other for general maintenance

Easy to Carry

Master Lock Model #			Description
410 Red Xenoy [®] Padlock(s)	A1106 Red Aluminum Padlock(s)	3 Red Steel Padlock(s)	
1456E410	1456E1106	1456E3	Electrical Lockout Focus. Contains: 1 – Padlock; 1 – 7C5RED Breaker Switch Padlock; 1 – 420 Hasp; 2 pcs – 493B, 1 pc – 491B Circuit Breaker Lockouts; 1 – 497A Tags (12/pack).
1456P410KA	1456P1106KA	1456P3KA	Padlocks & Tags. Contains: 3 – Padlocks Keyed Alike; 1 – 420 Hasp; 1 – 497A Tags (12/pack).

Xenoy[®] is a registered trademark of General Electric Corporation.

1456E3



1456P410KA



Personal Lockout Kits

Electrical, Valve and Combined Lockout/Tagout Organizers

- Safety lockout carrying case keeps important lockout devices and padlocks together
- Kits include high-use components, satisfying most lockout applications
- Personal kits are for an individual worker; padlocks are supplied **keyed-alike** for added worker convenience
- Available with your choice of three padlocks styles: Lightweight, designed-for-safety Xenoy[®], anodized Aluminum, or durable laminated Steel padlocks

Master Lock Model #			Description
410 Red Xenoy [®] Padlock(s)	A1106 Red Aluminum Padlock(s)	3 Red Steel Padlock(s)	
1457E410KA	1457E1106KA	1457E3KA	Electrical Lockout Focus. Contains: 3 – Padlocks; 1 – 7C5RED Circuit Breaker Padlock; 1 – 420 Hasp; 1 – 427 Snap-On Hasp; 2 pc – 491B, 3 pc – 493B Circuit Breaker Lockouts; 1 pc – 496B Wall Switch Lockout; 1 – 497A Tags (12/pack).
1457V410KA	1457V1106KA	1457V3KA	Valve Lockout Focus. Contains: 3 Padlocks; 1 – 420 Hasp; 1 – 427 Snap-On Hasp; 1 – 8611 Adjustable Cable Lockout; 1 – 480, 1 – 481 & 1 – 482 Gate Valve Covers; 1 – 468L & 1 – S3068 Ball Valve Lockouts; 1 – 497A Tags (12/pack).
1457VE410KA	1457VE1106KA	1457VE3KA	Electrical & Valve Lockout Focus. Contains: 3 – Padlocks; 1 – 7C5RED Circuit Breaker Padlock; 1 – 420 Hasp; 1 – 427 Snap-On Hasp; 1 – 8611 Adjustable Cable Lockout; 1 – 480, 1 – 481 & 1 – 482 Gate Valve Covers; 1 – 468L & 1 – S3068 Ball Valve Lockouts; 2 pc – 491B, 3 pc – 493B Circuit Breaker Lockouts; 1 pc – 496B Wall Switch Lockout; 1 – 497A Tags (12/pack).

1457E410KA




Choose your Assortment


1457VE1106KA




YOU CHOOSE THE PADLOCKS FOR YOUR NEEDS.



Master Lock



AMERICAN LOCK



Master Lock

Xenoy® Padlocks – Non-conductive, lightweight bodies with permanent write-on labels for worker identification. Key retaining feature ensures that padlocks are not left unlocked. Reserved-for-Safety, high security, 6-pin cylinder offers over 100,000 possible key changes.

Anodized Aluminum Padlocks – Heavy duty padlocks feature a durable anodized finish. The 5-pin cylinder offers over 10,000 key changes to minimize risk of key duplication within a facility.

Steel Padlocks – Durable, general security padlocks have reinforced laminated steel construction to withstand physical abuse and a 4-pin cylinder offering up to 1,400 key changes.

Group Lockout Kits

Modular Lockout/Tagout Organizers

- Lightweight safety lockout carrying case, 15"W x 9-1/2"T x 7"D, with modular, translucent storage compartments for improved organization and fast component selection
- Kits include high-use components, satisfying most applications
- Separate compartments for effective grouping of (1) padlocks & hasps, (2) valve lockout & (3) electrical lockout components
- Group kits are for multiple workers; padlocks are supplied **keyed-different**, so that no unwanted key interchange occurs
- Available with your choice of Padlock: Lightweight, designed-for-safety Xenoy®*, anodized Aluminum, or durable laminated Steel padlocks
- PLUS, a no-charge Safety Lockout Padlock Key Charting System is available to you. Simply return the enclosed mail-in card after your purchase. Master Lock will supply a Registered System number, maintain a record of the padlock key cuts provided with your station and ensure that there is no unwanted padlock key cut duplication on your future orders** – this is critical for Safety Lockout!

Master Lock Model #			Description
410 Red Xenoy® Padlock(s)	A1106 Red Aluminum Padlock(s)	3 Red Steel Padlock(s)	
1458E410	1458E1106	1458E3	Electrical Lockout Focus. Contains: 6 – Padlocks; 2 – 7C5RED Breaker Switch Padlocks; 1 – 420 Hasp; 1 – 427 Snap-On Hasp; 1 – 8611 Adjustable Cable Lockout; 1 – 487 & 1 – 488 Plug Covers; 4 pcs – 493B, 2 pcs – 491B Circuit Breaker Lockouts; 2 pcs – 496B Wall Switch Covers; 2 – 497A Tags (12/pack).
1458V410	1458V1106	1458V3	Valve Lockout Focus. Contains: 6 – Padlocks; 1 – 420 Hasp; 1 – 427 Snap-On Hasp; 1 – 8611 Adjustable Cable Lockout; 1 – 480, 1 – 481, 1 – 482 & 1 – 483 Gate Valve Covers; 1 – 468L & 1 – S3068 Ball Valve Lockouts; 2 – 497A Tags (12/pack).
1458VE410	1458VE1106	1458VE3	Electrical & Valve Lockout Focus. Contains: 6 – Padlocks; 2 – 7C5RED Breaker Switch Padlocks; 1 – 420 Hasp; 1 – 427 Snap-On Hasp; 1 – 8611 Adjustable Cable Lockout; 1 – 487 & 1 – 488 Plug Covers; 1 – 480, 1 – 481 & 1 – 482 Gate Valve Covers; – 493B, 3 pcs – 491B Circuit Breaker Lockouts; 1 – 468L & 1 – S3068 Ball Valve Lockouts; 2 – 497A Tags (12/pack).

*Xenoy® is a registered trademark of General Electric Corporation.

** Provided that your Registered System Number is included on all future orders.

**More Effective
LO/TO Organizers**



1458E410



1458V410




1458VE410

Padlock Stations


These durable, user-friendly lockout stations provide a central location for necessary safety lockout/tagout components.




YOU CHOOSE THE PADLOCKS FOR YOUR NEEDS.



Master Lock



AMERICAN LOCK



Master Lock

Xenoy® Padlocks – Non-conductive, lightweight bodies with permanent write-on labels for worker identification. Key retaining feature ensures that padlocks are not left unlocked. Reserved-for-Safety, high security, 6-pin cylinder offers over 100,000 possible key changes.

Anodized Aluminum Padlocks – Heavy duty padlocks feature a durable anodized finish. The 5-pin cylinder offers over 10,000 key changes to minimize risk of key duplication within a facility.

Steel Padlocks – Durable, general security padlocks have reinforced laminated steel construction to withstand physical abuse and a 4-pin cylinder offering up to 1,400 key changes.

Padlock Stations

Virtually Indestructible, the Strongest Stations Available

- Integrated, one-piece molded construction eliminates loose parts
- Resilient polycarbonate material provides twice the heat resistance and quadruple the impact strength of typical stations
- Reinforced snap-lock clips provide easy padlock and hasp storage and removal
- Exclusive translucent cover protects contents
 - Lockable to prevent loss of valuable safety lockout padlocks. Recommend using a combination lock for simple access control.
 - Innovative hinge holds cover open for easy product selection
- Available with your choice of designed-for-safety Xenoy®, Aluminum or Steel padlocks in 4, 10 or 20 lock formats
- Safety Hasps and Tags included
- PLUS, a no-charge Safety Lockout Padlock Key Charting System is available to you. Simply return the enclosed mail-in card after your purchase. Master Lock will supply a Registered System number, maintain a record of the padlock key cuts provided with your station and ensure that there is no unwanted padlock key cut duplication on your future orders – this is critical for Safety Lockout!

Patent-Pending Innovation



1482BP3



1483BP410



1484BP1106

(175 Padlock available separately)

Master Lock Model #				Description	Size (HxWxD)
410RED Xenoy® Padlock	A1106RED Aluminum Padlock	3RED Steel Padlock	Base and Cover (Unfilled)		
1482BP410	1482BP1106	1482BP3	1482B	4-Lock Station. Contains 4 – Padlocks; 2 – 420 Hasps; 1 – 497A Tags (12/pack).	12 ¼ x 16 x 1 ¾
1483BP410	1483BP1106	1483BP3	1483B	10-Lock Station. Contains 10 – Padlocks; 2 – 420 Hasps; 2 – 497A Tags (12/pack).	15 ½ x 22 x 1 ¾
1484BP410	1484BP1106	1484BP3	1484B	20-Lock Station. Contains 20 – Padlocks; 4 – 420 Hasps; 4 – 497A Tags (12/pack).	22 x 22 x 1 ¾

*Xenoy® is a registered trademark of General Electric Corporation.

Multilingual Padlock Stations

Virtually Indestructible, the Strongest Stations Available

- Durable Padlock Stations available in North American Spanish/English or French/English
- Available in single language - German, Portuguese, European Spanish, European French, Italian, Chinese and other languages
- Filled or Unfilled
- Filled Stations available in your choice of Xenoy®, Aluminum or Steel Padlocks
- Includes bilingual tags in language selected
- Xenoy® 410RED padlocks include labels in language selected
- PLUS, a no-charge Safety Lockout Padlock Key Charting System is available to you. Simply return the enclosed mail-in card after your purchase. Master Lock will supply a Registered System number, maintain a record of the padlock key cuts provided with your station and ensure that there is no unwanted padlock key cut duplication on your future orders – this is critical for Safety Lockout!



1482BP410ES



1483BP3ES

Master Lock Model #				Description	Size (HxWxD)
410RED Xenoy® Padlock	A1106RED Aluminum Padlock	3RED Steel Padlock	Base and Cover (Unfilled)		
English / Spanish					
1482BP410ES	1482BP1106ES	1482BP3ES	1482BES	4-Lock Station. Contains 4 – Padlocks; 2 – 420 Hasps; 1 – 497AX Tags (12/pack).	12 ¼ x 16 x 1 ¼
1483BP410ES	1483BP1106ES	1483BP3ES	1483BES	10-Lock Station. Contains 10 – Padlocks; 2 – 420 Hasps; 2 – 497AX Tags (12/pack).	15 ½ x 22 x 1 ¼
1484BP410ES	1484BP1106ES	1484BP3ES	1484BES	20-Lock Station. Contains 20 – Padlocks; 4 – 420 Hasps; 4 – 497AX Tags (12/pack).	22 x 22 x 1 ¼
English / French					
1482BP410FRC	1482BP1106FRC	1482BP3FRC	1482BFRC	4-Lock Station. Contains 4 – Padlocks; 2 – 420 Hasps; 1 – 497ABLC Tags (12/pack).	12 ¼ x 16 x 1 ¼
1483BP410FRC	1483BP1106FRC	1483BP3FRC	1483BFRC	10-Lock Station. Contains 10 – Padlocks; 2 – 420 Hasps; 2 – 497ABLC Tags (12/pack).	15 ½ x 22 x 1 ¼
1484BP410FRC	1484BP1106FRC	1484BP3FRC	1484BFRC	20-Lock Station. Contains 20 – Padlocks; 4 – 420 Hasps; 4 – 497ABLC Tags (12/pack).	22 x 22 x 1 ¼



1484BP410FRC

Xenoy® is a registered trademark of General Electric Corporation.

Heavy Duty Padlock Racks

- Heavy gauge steel with durable powder coat finish ensure long life
- Includes labels in English, Spanish/English, and French/English

Master Lock Model #	Description
S1506	6.25" wide x 3" tall x 1.5" deep. Holds 6-8 padlocks.
S1518	17.5" wide x 3" tall x 1.5" deep. Holds 18-22 padlocks.



S1506



S1518



Lockout Stations

These durable, user-friendly wall stations offer the ultimate storage space for large facilities or multiple departmental use.

Deluxe Lockout Station

Large Capacity Lockout Station Holds Departmental Lockout Needs

- Durable construction ensures long life in your facility
- Covered compartments protect devices and keep dust and grime out
- Upper and lower sections lockable to ensure devices are there when needed for lockout. Add a combination lock for simple access control.
- 16 hanger clips hold 2 padlocks or lockout hasps each
- Moveable dividers in top and bottom trays help organize devices
- Holes provided along bottom for optional peg hook hangers. Use to hang large, bulky devices.
- Upper unit ideal for larger lockout devices and padlocks. Lower unit ideal for tags and smaller lockout devices.
- Lower unit has two tip-out drawers. Each measures 10" wide x 6-7/8" high x 3-1/4" deep.
 - Dividers included to create 2, 3, 4, 5 or 6 compartments
 - Each compartment holds 25 tags. Total capacity of lower unit is 150 tags.
- Available filled or unfilled
- Available with your choice of Xenoy[®]*, Aluminum or Steel Safety Padlocks
- Measures 26-1/2" high x 22" wide x 4-1/8" deep
- Patent Pending

Master Lock Model #				Description
410RED Xenoy [®] Padlocks	A1106RED Aluminum Padlocks	3RED Steel Padlocks	Unfilled	
S1900VE410	S1900VE1106	S1900VE3	S1900	Contains: 6 – Padlocks; 2 – 420 Hasps; 1 – 427 Snap-On Hasp; 1 – 8611 Adjustable Cable Lockout; 1 – 480, 1 – 481, 1 – 482 & 1 – 483 Gate Valve Lockouts; 1 – 468L & 1 – S3068 Ball Valve Lockouts; 1 – S2005 Compact Plug Prong Lockout; 1 – 488 Plug Cover; 2 – 491B, 6 – 493B Circuit Breaker Lockouts; 2 pcs – 496B Wall Switch Covers; 2 – 497A Tags (12/pack). Space for additional padlocks or lockout devices as desired.

*Xenoy[®] is a registered trademark of General Electric Corporation.



S1900VE1106



Lockable Covers


Additional Storage on Top



Adjustable Dividers




YOU CHOOSE THE PADLOCKS FOR YOUR NEEDS.




Master Lock

Xenoy® Padlocks – Non-conductive, lightweight bodies with permanent write-on labels for worker identification. Key retaining feature ensures that padlocks are not left unlocked. Reserved-for-Safety, high security, 6-pin cylinder offers over 100,000 possible key changes.



AMERICAN LOCK

Anodized Aluminum Padlocks – Heavy duty padlocks feature a durable anodized finish. The 5-pin cylinder offers over 10,000 key changes to minimize risk of key duplication within a facility.



Master Lock

Steel Padlocks – Durable, general security padlocks have reinforced laminated steel construction to withstand physical abuse and a 4-pin cylinder offering up to 1,400 key changes.


Lockout Station

Lockout Station Holds Locks, Hasps and Devices

- 8 Hanger clips hold 2 padlocks or lockout hasps each
- Top and bottom compartments each have 5 moveable dividers for organizing devices
- Holes provided inside and along bottom for optional peghook hanger clips. Allows you to organize further. Large devices can be hung below.
- Durable construction for years of use in corrosive environments
- Cover protects padlocks and devices from dust and grime
- Lockable. Use combination padlock to limit access to authorized employees.
- Measures 15-1/2" high x 22" wide x 4-1/8" deep
- Available with Electrical or Valve Lockout Focus. Includes most commonly required lockout devices. Available filled or unfilled.
- Available with your choice of Xenoy®, Aluminum or Steel Safety Padlocks
- Patent Pending

Master Lock Model #			Unfilled	Description
410RED Xenoy® Padlocks	A1106RED Aluminum Padlocks	3RED Steel Padlocks		
S1850E410	S1850E1106	S1850E3	S1850	Electrical Lockout Focus. Contains: 6 – Padlocks; 1 – 420 Hasp; 1 – 427 Snap-On Hasp; 1 – S2005 Compact Plug Prong Lockout; 1 – 488 Plug Cover; 2 – 491B; 4 – 493B Circuit Breaker Lockouts; 2 – 496B Wall Switch Covers; 2 – 497A Tags (12/pack).
S1850V410	S1850V1106	S1850V3	S1850	Valve Lockout Focus. Contains: 6 – Padlocks; 1 – 420 Hasp; 1 – 427 Snap-On Hasp; 1 – 480, 1 – 481 & 1 – 482 Gate Valve Lockouts; 1 – 468L & 1 – S3068 Ball Valve Lockouts; 2 – 497A Tags (12/pack).

*Xenoy® is a registered trademark of General Electric Corporation.



S1850E410



S1850V3

Deluxe Tag Center

Deluxe Tag/Lockout Center Holds Multiple Groups of Tags

- Two tip-out drawers with dividers to create 2, 3, 4, 5 or 6 compartments
- Each compartment holds 25 tags. 150 tag capacity
- Compartments can be used for lockout devices too
- Each tip-out drawer measures 10" wide x 6-7/8" tall x 3-1/4" deep inside
- Eight hanger clips along bottom hold safety padlocks or hasps
- Upper tray for zip ties and small lockout devices
- Durable construction for years of use in corrosive environments
- Lockable. Use combination padlock to limit access to authorized employees
- Also suitable for ear plugs and eyewear

Master Lock Model #	Description	Dimensions (H x W)
S1800	Tag Center (unfilled)	11" x 22" x 4-1/8"




S1800
(Tags sold separately)


Compact Lockout Stations

Our machine-specific lockout stations are ideal for positioning machine-specific lockout devices, tags and padlocks near the lockout point.


YOU CHOOSE THE PADLOCKS FOR YOUR NEEDS.



Master Lock



AMERICAN LOCK



Master Lock

Xenoy® Padlocks – Non-conductive, lightweight bodies with permanent write-on labels for worker identification. Key retaining feature ensures that padlocks are not left unlocked. Reserved-for-Safety, high security, 6-pin cylinder offers over 100,000 possible key changes.

Anodized Aluminum Padlocks – Heavy duty padlocks feature a durable anodized finish. The 5-pin cylinder offers over 10,000 key changes to minimize risk of key duplication within a facility.

Steel Padlocks – Durable, general security padlocks have reinforced laminated steel construction to withstand physical abuse and a 4-pin cylinder offering up to 1,400 key changes.

Compact Lockout Stations

Compact Lockout Station Holds Machine Specific Lockout Devices and Padlocks Near Lockout Point

- Four hanger clips for safety padlocks or hasps
- Durable construction for years of use in corrosive environments
- Includes face labels in English, Spanish/English or French/English
- Available filled or unfilled
- Measures 9-3/4" tall x 7-3/4" wide x 3-3/8" deep
- Bin measures 6-1/2" wide x 2-7/8" tall x 2-7/8" deep
- Filled centers available with your choice of Xenoy®, Aluminum or Steel Safety Padlocks
- Patent Pending



S1700

S1705P410

**Minimal Space
Maximum Storage**



S1720E410
(Hasps available separately)



S1745E410

Master Lock Model #			Unfilled	Description
410RED Xenoy® Padlocks	A1106RED Aluminum Padlocks	3RED Steel Padlocks		
S1705P410	S1705P1106	S1705P3	S1700	Contains: 1 – padlock, 1 – 421 hasp and 2 – tags
S1720E410	S1720E1106	S1720E3	S1700	Contains: 2 – padlocks, 4 – tags, 2 – 491B and 2 – 493B circuit breaker lockouts
S1745E410	S1745E1106	S1745E3	S1700	Contains: 1 – padlock, 1 – 488 plug lockout, and 1 – tag.

*Xenoy® is a registered trademark of General Electric Corporation.

Compliance Centers


Our patent pending Compliance Centers offer zippered storage that keeps important papers in while keeping dust and dirt out.

Compliance Centers

Zippered Binder Keeps Important Papers Organized While Keeping Dirt and Grime Out

- Use for MSDS, Lockout Procedures, Right-To-Know, ISO procedures and many others
- Front window allows you to customize to your needs. Includes MSDS, Lockout Procedures, Right-To-Know in English, Spanish/English, and French/English
- Editable Templates available at www.safetyseries.com. Allows you to enter contact name, emergency phone number, effectivity dates, and more.
- Available with or without Wall Mounting Bracket
- Can be used with existing wire baskets
- Can be placed on book shelves
- Wall Mounting Bracket includes labels for MSDS, Lockout Procedures, Right-To-Know in English, Spanish/English, and French/English
- Patent Pending

Master Lock Model #	Description
S300	One wall bracket/sign
S315	One 1.5" binder with wall bracket/sign
S316	One 1.5" binder (no wall bracket/sign)
S317	Two 1.5" binders with one wall bracket/sign
S330	One 3" binder with wall bracket/sign
S331	One 3" binder (no wall bracket/sign)



Guardian Extreme™ Signs and Tags

The toughest environments call for the toughest products. These signs and tags are designed to withstand the most demanding conditions – indoors or out.

Guardian Extreme™ Signs and Tags

Bright, vivid graphics maintain your safety message for years and years

Our patent-pending process permanently fuses the graphics into the rugged, industrial grade polypropylene at over 300 degrees, creating the longest lasting signs and tags available

Superior UV performance – withstood over 4000 hrs of brutal QUV testing, the equivalent to ten years of outdoor exposure

Easy Customization

Enhance your safety message with your custom graphics.

We offer the exclusive ability to create Guardian Extreme signs and tags with your custom graphics. There are no limitations. Our patent pending process allows you to add:

- Full color graphics
- Alternate languages
- Photos
- Diagrams and maps
- Custom text
- Company logos

Superior chemical resistance – tested with over 30 different harsh chemicals

Superior water resistance – solid polypropylene has no edges to peel or layers to delaminate and separate

Ideal for food processing facilities, mining, chemical plants, refineries, paper mills and outdoors

Any image you can create can be fused at high temperature into the durable polypropylene.


For preconfigured and blank templates, visit www.safetyseries.com. You will also find guidance on designing your custom signs and tags and how to order them.



Company Logos



Color Photography



Exit Plan Sign



Custom Text – In Any Language

Guardian Extreme™ Signs

Available in 3 sizes, 7" x 10" (80 mil polypropylene), 10 x 14" (135 mil polypropylene), and 14" x 20" (135 mil polypropylene)

Over 400 safety signs available – Caution, Danger, Notice and Warning Messages

Full listing available at www.safetyseries.com and in the Guardian Extreme™ Signs and Tags brochure (7000-0107)



7x10



10x14




14x20

Guardian Extreme™ Signs and Tags

Guardian Extreme™ Safety Tags

- Superior durability in all environments inside or out
- Over 50 safety messages
- 3" x 5-3/4" 80 mil polypropylene
- OSHA compliant with over 80 pounds pull strength
- 6 tags per bag



Guardian Extreme™ Isolation Lockout ID Tags

- Mount at lockout isolation points
- Help make lockout procedures easier to quickly & accurately implement
- 3" x 1-1/2" 80 mil polypropylene



S4500CP1 to S4500CP20
Control Panel CP-1 to CP-20

Master Lock Model #	Description
S4500CP1 (To C20)	Control Panel (CP-1 thru CP-20 available)
S4500E1 (to E20)	Electrical (E-1 thru E-20 available)
S4500G1 (to G20)	Gas (G-1 thru G-20 available)
S4500P1 (to P20)	Pneumatic (P-1 thru P-20 available)
S4500S1 (to S20)	Steam (S-1 to S-20 available)
S4500V1 (to V20)	Valve (V-1 to V-20 available)
S4500W1 (to W20)	Water (W-1 to W-20 available)



S4500E1 to S4500E20
Electrical E-1 to E-20



S4500P1 to S4500P20
Pneumatic P-1 to P-20




S4500W1 to S4500W20
Water W-1 to W-20



S4500G1 to S4500G20
Gas G-1 to G-20



S4500S1 to S4500S20
Steam S-1 to S-20



S4500V1 to S4500V20
Valve V-1 to V-20

Guardian Extreme™ Scaffold Tags

- Durable Guardian Extreme tags eliminate need for scaffold tag holder
- 3" x 9" 80 mil durable polypropylene tag

Master Lock Model #	Description
S4700	Scaffold Tag: DANGER (Red)
S4701	Scaffold Tag: CAUTION (Yellow)
S4702	Scaffold Tag: OK (Green)



S4700



S4701



S4702

**Guardian
Extreme.**

Tags & Tag Stations

Identification tags are key components to any safety lockout program. Master Lock offers write-on tags in English, Spanish and French to accommodate employee needs.

"DO NOT OPERATE" Safety Tags

Laminated Tags Comply with OSHA Lockout/Tagout Standard

- Durable polyester laminate resists water, grease and extreme temperatures
- Heavy duty construction withstands over 50 lbs. of pullout force (meets OSHA requirement); prevents accidental removal
- Write-on name, department, expected completion
- 7/16" dia. brass grommet accepts all safety padlocks
- Tags available in other languages; call for details
- Single language and bilingual tag options

Master Lock Model #	Description	Dimensions (H x W)
497A	English, 1 bag of 12 tags with ties	5-3/4" x 3-1/8"
497AX	Spanish/English 1 bag of 12 tags with ties	5-3/4" x 3-1/8"
497ABLC	French/English 1 bag of 12 tags with ties	5-3/4" x 3-1/8"



Compact Tag Stations

Durable Tag Station Holds 18 Tags

- Three hanger clips for safety padlocks or hasps
- Includes face labels in English, Spanish/English and French/English
- Patent pending

Master Lock Model #	Description	Dimensions (H x W)
S1601	Tag Station (unfilled)	7-3/4" x 5-3/4" x 1-1/2"
S1601A	Tag Station with 12 English Tags	
S1601AX	Tag Station with 12 Spanish/English Tags	
S1601FRC	Tag Station with 12 French/English Tags	



S1601

S1601AX
(Hasps and Locks available separately)

Deluxe Tag Center

Deluxe Tag/Lockout Center Holds Multiple Groups of Tags

- Two tip-out drawers with dividers to create 2, 3, 4, 5 or 6 compartments
- Each compartment holds 25 tags. 150 tag capacity
- Compartments can be used for lockout devices too
- Each tip-out drawer measures 10" wide x 6-7/8" tall x 3-1/4" deep inside
- Eight hanger clips along bottom hold safety padlocks or hasps
- Upper tray for zip ties and small lockout devices
- Durable construction for years of use in corrosive environments
- Lockable. Use combination padlock to limit access to authorized employees
- Also suitable for ear plugs and eyewear

Master Lock Model #	Description	Dimensions (H x W)
S1800	Tag Center (unfilled)	11" x 22" x 4-1/8"



S1800
(Tags sold separately)

Signs & Training

The Master Lock training video and signs provide effective means to educate and notify employees about OSHA safety requirements.

Lockout Signs

Identify Equipment That Requires Lockout

- High quality fiberglass material.
 - Rigid, durable construction

Master Lock Model #	Description	Size
464A	CAUTION. LOCK OUT FOR SAFETY	10" x 7"
464B	CAUTION. THIS MACHINE MUST BE LOCKED OUT PRIOR TO SERVICING.	10" x 7"
467A	NOTICE. IN ACCORDANCE WITH OSHA STANDARD 1910.147 ALL EQUIPMENT...	14" x 20"

- Flexible signs adhere to most surfaces
 - Can be left in place permanently or removed as desired

Master Lock Model #	Description	Size
463A	Magnetic. CAUTION. THIS MACHINE MUST BE LOCKED OUT PRIOR TO SERVICING.	3.5" x 5"
463B	Magnetic. DANGER - EQUIPMENT BEING SERVICED DO NOT OPERATE.	3.5" x 5"
469	Vinyl, adhesive. CAUTION - LOCKOUT FOR SAFETY.	5" X 3.5"



464A



464B



467A



463A



463B



469

Lockout / Tagout Video Training Program

Training Package for Employee Safety and OSHA Compliance

- 10 minute video effectively conveys the importance of Lockout/Tagout in the workplace
- Demonstrates the 7 steps to properly apply, and 5 steps to re-energize from, Lockout/Tagout
- Provides instructions for maintaining Lockout/Tagout during shift changes
- Shows how to apply, remove and maintain lockout devices
- Also suitable for employee-refresher training sessions
- Includes video, 10 Lockout/Tagout Procedure Employee Reference Cards, instructor's guide and employee quiz
- Additional Employee Reference Cards also available (499PR)

Master Lock Model #	Description
499V	Complete Training Program w/Video Cassette, and 10 Employee Reference Cards (499PR)
499PR	10 Lockout/Tagout Procedure Employee Reference Cards

Brings Lockout/Tagout To Life



499PR



499V



Visit www.safetyseries.com

- View Safety Series lockout device application/installation videos
- Access product information quickly and easily
- Learn about special Safety Series services
 - Lockout consulting
 - Lockout training
 - Key system registration & management
 - Padlock customization, including laser engraving
- Contact our customer support team
- Locate a Safety Series distributor in your area



www.safetyseries.com • www.masterlock.com
Master Lock Company LLC, Milwaukee, WI 53154 U.S.A. | 800-308-9244
Master Lock Canada, Oakville, Ontario L6H 5S7 Canada | 800-227-9599
© 2009 Master Lock Company | All Rights Reserved

7000-0193 CI 25M 06/09

